

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 12-Mar-2020

Revision Date: 17-Mar-2020

Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name Product Code Alternate Product Code Product Class Color Recommended use Restrictions on use

ROSCO OFF BROADWAY PTHALO BLUE

RF5373 XY5119 Water thinned paint Blue Paint No information available

Roscolab Limited

Blanchard Works Kangley Bridge Road Sydenham London SE26 5AQ Phone: +44 (0) 20 8659 2300 (Monday - Friday, 9 am to 5 pm GMT) Email: info.emea@rosco.com

Rosco Laboratories Inc.

52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900 www.rosco.com

Emergency Telephone

CHEMTREC: +1-703-741-5970 CHEMTREC (United Kingdom Local Number): +44-870-8200418

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008	
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)

2.2. Label elements

Product Identifier



Contains Cristobalite Signal word Warning

Hazard statements

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P314 - Get medical advice/attention if you feel unwell

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

General Hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Cristobalite	238-455-4	14464-46-1	>=5 - <10	STOT RE 1 (H372)	Not available
Diatomaceous silica, flux-calcined	272-489-0	68855-54-9	>=1 - <5	STOT RE 2 (H373)	Not available
Propylene glycol	200-338-0	57-55-6	>=1 - <5	Not available	01-2119456809-23-02 24
Titanium dioxide	236-675-5	13463-67-7	>=1 - <5	Not available	01-2119489379-17-01 68

Full text of H- and EUH-phrases: see section 16

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)
Chemical name CAS No. SVHC candidates

Chemical name	CAS No.	SVHC candidates
Ethoxylated octylphenol	9036-19-5	Listed

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Description of first aid measures			
General Advice	No hazards which require special first aid measures.		
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.		
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.		
Inhalation	Move to fresh air. If symptoms persist, call a physician.		
Ingestion	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.		
4.2. Most important symptoms and effects, both acut	e and delayed		
Most Important Symptoms/Effects	None known.		
4.3. Indication of any immediate medical attention and special treatment needed			

Treat symptomatically.

Notes To Physician

Section 5: FIRE FIGHTING MEASURES

51	Extind	guishing	media
J. I.	LAUIN	Juisining	meula

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	No information available.
5.2. Special hazards arising from the substance or mix	<u>kture</u>
Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.
Sensitivity to static discharge	No
Sensitivity to mechanical impact	No
5.3. Advice for firefighters	
Protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

Other Information	Observe all relevant local and international regulations.			
6.2. Environmental precautions				
Environmental precautions	Prevent spreading of vapors through sewers, ventilation systems and confined areas.			
6.3. Methods and material for containment and clea	aning up			
Methods for Containment	Absorb with inert material and place in suitable container for disposal.			
Methods for Cleaning Up	Clean contaminated surface thoroughly.			
6.4. Reference to other sections				
Other information	See Section 12 for additional information.			
Section 7: HANDLING AND STORAGE				
7.1. Precautions for safe handling				
Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.			
Hygiene Measures	Wash thoroughly after handling.			
7.2. Conditions for safe storage, including any inco	ompatibilities			
Storage	Keep container tightly closed. Keep out of the reach of children.			
7.3. Specific end use(s)				
Specific Uses	Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.			
Risk Management Methods (RMM)	Not Applicable.			
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION				

8.1. Control parameters

Chemical name	European Union	Belgium	Bulgaria	Cyprus	France	Ireland
Cristobalite	TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.07 mg/m ³	-	TWA: 0.05 mg/m ³	TWA: 0.1 mg/m ³
14464-46-1						STEL: 0.3 mg/m ³
Diatomaceous silica,	-	-	-	-	-	TWA: 1.2 mg/m ³
flux-calcined						STEL: 3.6 mg/m ³
68855-54-9						_
Propylene glycol	-	-	-	-	-	TWA: 10 mg/m ³
57-55-6						TWA: 150 ppm
						TWA: 470 mg/m ³
						STEL: 1410 mg/m3
						STEL: 30 mg/m ³
						STEL: 450 ppm
Titanium dioxide	-	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7			TWA: 1.0 mg/m ³			TWA: 4 mg/m ³

RF5373 - ROSCO OFF BROADWAY PTHALO BLUE

										STEL: 30 mg/m ³ STEL: 12 mg/m ³
Chemical name	Germany	Greece	Greece Hungary Ice		eland		Italy	Latvia		
Cristobalite 14464-46-1	-	-		TWA: 0.15	5 mg/m³		g/m³ TWA g/m³ TWA		-	-
Diatomaceous silica, flux-calcined 68855-54-9	TWA: 0.3 mg/m ²	3 -		-		1.5 m(g/m³ TWA		-	-
Propylene glycol 57-55-6	-	-		-			-		-	TWA: 7 mg/m ³
Titanium dioxide 13463-67-7	-	TWA: 10 mg TWA: 5 mg		-		6 mg	/m³ TWA		-	TWA: 10 mg/m ³
Chemical name	Lithuania	Netherlands		Poland	Rom	ania	Spair	1	Sweden	United Kingdom
Cristobalite 14464-46-1	TWA: 0.05 mg/m ³	TWA: 0.075 mg/m ³	TWA	: 0.1 mg/m ³		: 0.05 /m³	TWA: 0. mg/m		TLV: 0.05 mg/ı	n ³ TWA: 0.1 mg/m ³
Diatomaceous silica, flux-calcined 68855-54-9	-	-		A: 2 mg/m ³ A: 1 mg/m ³		-	-		-	-
Propylene glycol 57-55-6	TWA: 7 mg/m ³	-	TWA	: 100 mg/m ³		-	-		-	TWA: 150 ppm TWA: 474 mg/m ³ TWA: 10 mg/m ³ STEL: 450 ppm STEL: 1422 mg/m ³ STEL: 30 mg/m ³
Titanium dioxide 13463-67-7	TWA: 5 mg/m ³	-		L: 30 mg/m ³ L: 10 mg/m ³			TWA: 10 n	ng/m³	TLV: 5 mg/m	

8.2. Exposure controls

Occupational exposure controls

Engineering Measures

Personal Protective Equipment

Respiratory Protection

Eye Protection

Skin Protection

Hand protection

Hygiene Measures

Ensure adequate ventilation, especially in confined areas.

In case of insufficient ventilation wear suitable respiratory equipment.

Safety glasses with side-shields.

Lightweight protective clothing.

Impervious gloves.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Odor Odor Threshold liquid little or no odor No information available Property Density (g/L) **Relative Density** pН Viscosity (cps) Solubility(ies) Water solubility **Evaporation Rate** Vapor pressure Vapor density Wt. % Solids Vol. % Solids Wt. % Volatiles Vol. % Volatiles **Boiling Point (°C)** Freezing Point (°C) Melting Point (°C) Pour Point Flash Point (°C) Flammability (solid, gas) Upper flammability limit: Lower flammability limit: Autoignition Temperature (°C) **Decomposition Temperature (°C) Partition coefficient Explosive properties Oxidizing Properties**

Values	
1186 - 1234	
1.18 - 1.23	
No information available	
35 - 45	
25 - 35	
55 - 65	
65 - 75	
100	
0	
No information available	
No information available	
Not applicable	
No information available	

Remarks/ Method None known

None known None known

Section 10: STABILITY AND REACTIVITY

<u>10.1. Reactivity</u> Reactivity	Not Applicable.
10.2. Chemical stability	
Chemical Stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal conditions of use.
10.4. Conditions to avoid	
Conditions to avoid	Prevent from freezing.
10.5. Incompatible materials	
Incompatible Materials	No materials to be especially mentioned.
10.6. Hazardous decomposition products	
Hazardous Decomposition Products	None under normal conditions of use.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	There is no data available for this product.
Ingestion	There is no data available for this product.
Acute Toxicity	

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene glycol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		

Skin corros	sion/irritation
-------------	-----------------

Eye damage/irritation

No information available.

No information available.

No sensitizing effects known.

Sensitization

Mutagenic Effects

No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Cristobalite		1 - Human Carcinogen
14464-46-1		
Titanium dioxide		2B - Possible Human Carcinogen
13463-67-7		

Crystalline Silica has been determined to be carcinogenic to humans by IARC (1) when in respirable form. Risk of cancer depends on duration and level of inhalation exposure to spray mist or dust from sanding the dried paint.
Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend

IARC - International Agency for Research on Cancer

Reproductive Effects	No information available.
Developmental Effects	No information available.
STOT - single exposure	No information available.

STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure if inhaled.
Neurological Effects	No information available.
Target organ effects	No information available.
Symptoms	No information available.
Aspiration Hazard	No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Propylene glycol	EC50: =19000mg/L (96h,	LC50 41 - 47 mL/L Oncorhynchus	EC50 > 1000 mg/L (48 h)
57-55-6	Pseudokirchneriella subcapitata)	mykiss (96 h)	EC50 > 10000 mg/L (24 h)
		LC50 = 710 mg/L Pimephales	,
		promelas (96 h)	
		LC50 = 51600 mg/L Oncorhynchus	
		mykiss (96 h)	
		LC50 = 51400 mg/L Pimephales	
		promelas (96 h)	

12.2. Persistence and degradability

Persistence / Degradability

12.3. Bioaccumulative potential

Bioaccumulation

12.4. Mobility in soil

Mobility in soil

Mobility in Environmental Media

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

No information available.

No information available.

No information available.

No information available.

There is no data for this product.

Chemical name	PBT and vPvB assessment
Diatomaceous silica, flux-calcined 68855-54-9	PBT assessment does not apply
Propylene glycol	The substance is not PBT / vPvB PBT assessment
57-55-6	does not apply
Titanium dioxide	The substance is not PBT / vPvB PBT assessment
13463-67-7	does not apply

12.6. Other adverse effects

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Contaminated Packaging

EWC waste disposal No

Other Information

Dispose of in accordance with the European Directives on waste and hazardous waste.

Empty containers should be taken for local recycling, recovery or waste disposal.

No information available

Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG	Not regulated
<u>RID</u>	Not regulated
ADR	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Cristobalite	RG 25
14464-46-1	
Propylene glycol	RG 84
57-55-6	

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS DSL: Canada	No - Not all of the components are listed. No - Not all of the components are listed.
	One or more component is listed on NDSL.
EINECS: European Union	No - Not all of the components are listed.
ENCS	No - Not all of the components are listed.

IECSC KECL (Annex 1) PICCS TSCA: United States

No - Not all of the components are listed.

No - Not all of the components are listed.

No - Not all of the components are listed.

Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 IECSC - China Inventory of Existing Chemical Substances
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H372 - Causes damage to organs through prolonged or repeated exposure H373 - May cause damage to organs through prolonged or repeated exposure

Classification procedure:	Expert judgment and weight of evidence determination
Key literature references and sources for data	Data from internal and external sources
Prepared By	Product Stewardship Department Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900
Issuing Date	12-Mar-2020
Revision Date:	17-Mar-2020
Revision Summary	Change to Format

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet